

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 21, 2023

Revision: July 21, 2023

1 Identification

- · Product identifier
- · Trade name: Ameripolish OSIntegral
- · Other means of identification: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Colorant for Concrete
- · Restrictions on use: For professional use only.

• Details of the supplier of the Safety Data Sheet

- Manufacturer/Supplier: Ameripolish, Inc. 120 Commercial Ave Lowell, AR. 72745 USA (479) 725-0033
- Emergency telephone number: Velocity EHS (800)255-3924 (North America) + 1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



· Signal word: Warning

· Hazard statements:

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- Precautionary statements:
 P264 Wash thoroughly afterhandling.
- P280 Wear protective gloves/protective clothing/eye protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P332+P313 If skin irritation occurs: Getmedical advice/attention.
- P337+P313 If eye irritation persists: Getmedical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 21, 2023

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 1)

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
Trade Secret	Trade Secret	Trade Secret
Trade Secret	Trade Secret	Trade Secret
Trade Secret	Trade Secret Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	Trade Secret
Trade Secret	Trade Secret	Trade Secret
Trade Secret	Trade Secret	Trade Secret

· Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for carbon black note that the substance must be respirable.

For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

· After eye contact:

- Immediately remove contact lenses if possible.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

- Irritant to skin and mucous membranes.
- Causes eye irritation.
- Nausea in case of ingestion.
- Gastric or intestinal disorders when ingested.
- Cramp
- Coughing
- · Danger: May be harmful ifswallowed.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

(Cont'd. on page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 21, 2023

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- The product is not flammable.
- Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- Environmental precautions
 Do not allow undiluted product or large quantities of it to r

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

- Reference to other sections
 - See Section 7 for information on safe handling.
 - See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Open and handle receptacle with care.
- Use only in well ventilated areas.
- Avoid contact with the eyes and skin.
- Avoid breathing mist, vapors, or spray.
- Keep out of reach of children.
- · Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and receptacles:
- Store in cool, dry conditions in well sealed receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Cont'd. on page 4)

Printing date: July 21, 2023

Γ

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 3)

· Specific end use(s) No relevant information available.

Control parar		
•	ith limit values that require monitoring at the workplace:	
	n trioxide / iron (III) oxide	
PEL (USA)	Long-term value: 10* 15** 5*** mg/m ³	
	*Fume; Rouge: **Total dust, ***respirable	
REL (USA)	Long-term value: 5 mg/m ³	
	Dust & fume, as Fe	
TLV (USA)	Long-term value: 5* mg/m ³	
	*as respirable fraction	
EL (Canada)	Short-term value: 10** mg/m ³ Long-term value: 5* 10*** 3**** mg/m ³	
	*dust & fume**fume; Rouge: ***total dust****resp.	
EV (Canada)	Long-term value: 5* 10** mg/m ³	
	*respirable, including Rouge;**total dust	
LMPE (Mexico)	Long-term value: 5* mg/m ³	
· · · · · ·	A4, *fracción respirable	
1333-86-4 carb	on black	
PEL (USA)	Long-term value: 3.5 mg/m ³	
REL (USA)	Long-term value: 3.5* mg/m ³	
	*0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	Long-term value: 3* mg/m ³	
	*inhalable fraction	
EL (Canada)	Long-term value: 3 mg/m ³ IARC 2B	
EV (Canada)	Long-term value: 3.5 mg/m ³	
LMPE (Mexico)	Long-term value: 3* mg/m ³	
	A3, *fracción inhalable	
471-34-1 calciu		
PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³	
REL (USA)	*total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
1344-28-1 alum		
PEL (USA)	Long-term value: 15*; 5** mg/m ³	
()	*Total dust; ** Respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m ³	
	as AI*Total dust**Respirable/pyro powd./welding f.	





Printing date: July 21, 2023

Revision: July 21, 2023

Trade name: Ame	eripolish OS Integral
	(Cont'd. of page 4)
TLV (USA)	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1.0 mg/m ³
EV (Canada)	respirable, as Al Long-term value: 10 mg/m ³
	total dust Long-term value: 1* mg/m ³
	A4, *fracciòn respirable
 General protect The usual precative of the value of the v	active equipment: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. with the eyes and skin. mist, vapors, or spray. fore breaks and at the end of work. ontrols: No relevant information available. pment: der normal conditions of use. spiratory protective device when aerosol or mist is formed. ratory protection may be advisable.
Protect	ivegloves
The glove mate • Eye protection	rial has to be impermeable and resistant to the product/ the substance/ the preparation. :
Safety	glasses
Limitation an No relevant info	on: Protective work clothing d supervision of exposure into the environment rmation available. ment measures No relevant information available.
9 Physical and	d chemical properties
· Information o · Appearance: Form:	n basic physical and chemical properties

Form: Color: · Odor:

· Odor threshold:

Liquia According to product specification Slight. Not determined.

(Cont'd. on page 6)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 21, 2023

Trade name: Ameripolish OS Integral

Revision: July 21, 2023

		(Cont'd. of pa
pH-value:	Not determined.	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	Not determined.	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Soluble.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions Reacts with strong acids.

· Conditions to avoid Avoid acids.

· Incompatible materials Strong acids

· Hazardous decomposition products Possible in traces.

(Cont'd. on page 7)



Printing date: July 21, 2023

Γ

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 6)

· Information on toxicological effects	
· Acute toxicity:	
· LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 >2000	
 Primary irritant effect: On the skin: Irritant to skin and mucous membranes. On the eye: Irritating effect. Sensitization: No sensitizing effects known. IARC (International Agency for Research on Cancer): Present in trace quantities: 98-83-9. 	
98-83-9 2-phenylpropene	2
1333-86-4 carbon black	2
• NTP (National Toxicology Program):	
None of the ingredients are listed.	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
 Probable route(s) of exposure: Ingestion. Eye contact. Skin contact. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met. 	
2 Ecological information	
 Toxicity Aquatic toxicity No relevant information available. Persistence and degradability No relevant information available. Bioaccumulative potential: No relevant information available. Mobility in soil: No relevant information available. Additional ecological information General notes: 	
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewa	ge

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: July 21, 2023

architectural concrete products

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 7)

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	Not regulated.	
Packing group DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I	ll of	

(Cont'd. on page 9)



Printing date: July 21, 2023

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 8)

5 Regulatory information	
Safety, health and environmental regulations/legislation specific for	r the substance or
mixture • United States (USA)	
· SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
1344-28-1 aluminum oxide	
TSCA(Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)	
• Chemicals known to cause cancer:	enerally englicity
Reference to carbon black is based on unbound respirable particles and is not ge	enerally applicable to
product as supplied. Present in trace quantities: 98-83-9.	
1333-86-4 carbon black	
98-83-9 2-phenylpropene	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
 IARC (International Agency for Research on Cancer): Present in trace quantities: 98-83-9. 	
1333-86-4 carbon black	2
98-83-9 2-phenylpropene	2
NIOSH-Ca (National Institute for Occupational Safety and Health):	
1333-86-4 carbon black	
· Canadian Domestic Substances List(DSL):	
All ingredients are listed.	

(Cont'd. on page 10)



Printing date: July 21, 2023

Г

Revision: July 21, 2023

Trade name: Ameripolish OS Integral

(Cont'd. of page 9)

٦	his information is based on our present knowledge. However, this shall not constitute a guarantee for an
	pecific product features and shall not establish a legally valid contractual relationship.
	Abbreviations and acronyms:
I	NR: European Agreement concerning the International Carriage of Dangerous Goods by Road MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
	ATA: International Air Transport Association
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent 'BT: Persistant, Bio-accumulable, Toxique
	PvB: very Persistent and very Bioaccumulative
Ν	IIOSH: National Institute for Occupational Safety and Health
C	DSHA: Occupational Safety & Health Administration
	Acute Tox. 4: Acute toxicity – Category 4
	Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
	Sources
	Vebsite, European Chemicals Agency (echa.europa.eu)
	Vebsite, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/
	overview/home.do)
	Vebsite, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
	Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
	Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:
-)78-0-07-176923-5.
5	Safety Data Sheets, Individual Manufacturers
S	SDS Prepared by:
	/elocity EHS
	305 North Florida Avenue
	Tampa, Florida USA 33602-2902
	Foll Free North America 1-888-255-3924 Intl. +01 813-248-0573
	Vebsite: www.chemtelinc.com

Document Number: SD3501.1